

ML.13.07	<b>TECHNICAL DATA SHEET</b>	
Released.01 Dated 16/10/18		

## **IDRARESIN L405/24**

### *CEMENT CONSOLIDANT*

## **APPLICATION**

---

**IDRARESIN L405/24** is a consolidant that can be applied to all calcareous substrates such as polished or polished cement, screeds or mortar surfaces. It can be applied on indoor or outdoor floors, both new and existing. If in doubt, it is recommended to carry out a test first.

## **USE**

---

**IDRARESIN L405/24** is applied to a dry, solid, absorbent, crack-free, clean and contamination-free surface, which can affect the action of the product. The application must be done avoiding direct exposure to sunlight and the surface to be treated must be between 5 ° C and 40 ° C. Until complete polymerization, direct exposure to moisture should be avoided.

The drying time is about 1-2 hours, then the floor is walkable, the completion of the reaction, however, may take longer (2 weeks), so it is recommended to access the surface only the day after the treatment. In any case, the surface must be kept moist for 20-30 minutes in order to allow the product to penetrate completely. The excess product after one hour must be removed manually or with a suitable mechanical treatment.

## **CLEANING TIPS**

After using the **IDRARESIN L405/24** the equipment must be cleaned perfectly with water. Once the product has completely dried it can only be removed mechanically.

The treated floor is recommended to clean it only with water or with a suitable detergent slightly alkaline, acidic detergents should not be used, for example with citric acid.

ML.13.07	<b>TECHNICAL DATA SHEET</b>	
Released.01 Dated 16/10/18		

Regularly cleaning the floor with water activates the further formation of crystals in the concrete so as to make the floor harder and more resistant to the action of chemical agents. Machines with nylon bearings or rotating brushes can be used to clean.

## PRODUCT CHARACTERISTICS

---

APPEARANCE	: White fluid
SOLID CONTENT	: ca. 16%
pH	: ca. 11,0
STORAGE	: 12 months. 5 - 35°C. Protect against frost
NOTE	: Shake well before use

All information is given in good faith but without warranty and we cannot accept responsibility or liability for any damage.